

A new generation of flat tiles now
lighter and with greater definition.



Perfect, deep fit

Large format - 10 units per sq. m.

Exclusive BorjaJET finishes

Lightweight



> Klinker



Maximum
Surface Flatness



Minimum
Slope 35%



Longitudinal Overlap
35 mm




39



Characteristics	
Width	285 mm
Length	475 mm
Weight	3,5 kg/tile

Installation	
Tiles /s.q. m.	9,9 units
Minimum batten spacing	365 mm
Maximum batten spacing	400 mm

Approximate values: If the roof tiles are installed on battens, the useful length must be calculated on site. A tolerance of $\pm 2\%$ is allowed on the dimensions of the roof tiles according to UNE-EN 1024.
The bottom side of the tile is always clay colour.





 FLAT-10 Tech

 **PLAIN COLOUR**



Leon



Mid Grey



Graphite



Chocolate

 FLAT-10 Tech

 **NATURE**



Red



Moss Red

Accessories



FLAT ROOF TILES



Angular Ridge
42 x 31 x 9,7 cm.
2,5 Units/lm / 3,15 kg.
Max. Slope 62%-31,5°



Angular Hip Starter
42,2 x 29,3 x 10 cm.
2,83 kg.



Angular 3 Ways
45,2 x 29,3 x 10 cm.
4,37 kg.



Angular 4 Ways
46,0 x 41,5 x 16,5 cm.
6,50 Kg.



Universal Straight End Cap
8,5 x 28,5 x 12,5 cm.
2,65 kg.



Bretagna 2 Ridge
36,5 x 25 x 12,5 cm.
3 Units/lm / 2,80 kg.
Max. Slope 87%-40,5°



Bretagna 2 Hip Starter
42,8 x 25 x 12,5 cm.
3,45 kg.



Bretagna 2 Straight End Cap
6 x 25 x 27cm.
2,40 kg.



100° High Ridge
47,5 x 25,5 x 12,5 cm.
Units/lm / 4,15 kg.
Max. Slope 100%-45°



100° High Hip Starter
38 x 25,5 x 12,5 cm.
3,30 kg.



100° High Straight End Cap
27,5 x 28,5 x 6,5 cm.
1,75 kg.



100° Angular 3 Ways
40 x 45 x 22 cm.
5,15 kg.



100° Angular 4 Ways
46,5 x 46,5 x 16 cm.
7,50 Kg.



100° Low Ridge
47,5 x 24,5 x 10,5 / 2,22 cm.
Units/lm / 4,00 kg.
Max. Slope 100%-45°




100° Low Hip Starter
37 x 24,5 x 10,5 cm.
2,70 kg.



100° Low Straight End Cap
27,5 x 28,5 x 6,5 cm.
2,15 kg.



Flat Straight Edges (Left/Right)
40,4 x 12,4 x 12,4 / 2,6 cm.
3 Units/lm / 2,50 kg.



Universal Angular Edge
43 x 14,5 x 14,5 cm.
2,5 Units/lm / 3 kg.




FLAT-5XL® / FLAT-10 Tech / Technica-10 Straight Edges (Left/Right)
46,7 x 12,2 x 7,9 cm. / 3 kg.



Universal Ventilation Cap
24,5 Øext - 22 Øint x 6 cm.
1,70 kg.

FLAT-5XL®



FLAT-5XL® Chimney Carrier
45,7 x 27,2 x 16 cm.
3,5 kg.



Half FLAT-5XL® Roof Tile
45,7 x 27,2 x 2,4 cm.
3,5 kg.



FLAT-5XL® Ventilation
47,5 x 28,9 x 3,7 cm.
3,5 kg.

FLAT-10 Tech



FLAT-10 Tech Chimney Carrier
47,5 x 28,9 x 10,5 cm.
3,5 kg.



Half FLAT-10 Tech Roof Tile
47,5 x 16,6 x 2,6 cm.
2 kg.



FLAT-10 Tech Ventilation
47,5 x 28,9 x 3,7 cm.
3,5 kg.

TECHNICA-10



TECHNICA-10 Chimney Carrier
47,3 x 26,22 x 10,2 cm.
3,4 kg.



Half Technica-10 Roof Tile
47,3 x 15,31 x 2,6 cm.
2 kg.



Technica-10 Ventilation
45,7 x 27,2 x 10,5 cm.
3,5 kg.

ALICANTINA-12



ALICANTINA-12 Chimney Carrier
43 x 25,5 x 12 / 15,5 Øext-13,5 Øint cm. - 4,00 kg.



Half ALICANTINA-12 Roof Tile (Left/Right)
43 x 15 x 4,5 cm.
1,25 Units/lm / 1,80 kg.



ALICANTINA-12 Ventilation
43 x 25,5 x 9 cm.
3,70 kg.



130 Universal Chimney
20,4 Øext-18 Øint x 23,5 cm.
2,15 kg.



Ⓜ FLAT-10 Tech
Leon



Ⓜ ALICANTINA-12
Red

Ideal for straight lines
roofs design, the flat
tiles are timeless.

52 FLAT ROOF TILES



Ⓜ FLAT-10 Tech
Mid Grey



Ⓢ FLAT-10 Tech
Graphite




Ⓢ ALICANTINA-12
Litoral



Ⓢ ALICANTINA-12
Nortegna, Fosca and Red



Ⓢ ALICANTINA-12
Nortegna, Fosca and Red



Ⓜ FLAT-10 Tech
Chocolate



Ⓜ FLAT-10 Tech
Leon

Due to its quality and design, the flat roof tiles are easily adaptable to any environment, surroundings and climates.



Ⓜ TECHNICA-10
Light Grey

The aesthetics of flat roof tiles offer an elegant image with its own unique character.

